



About **Mr. Breeze**

Mr. Breeze Cooling Equipments Pvt. Ltd. is Central India's premier air cooler manufacturer, founded in 2013 in Nagpur. Our sprawling 7-acre facility houses over 30 cutting-edge injection moulding machines, ranging from 100 to 2100 tons, allowing us to create a wide range of products in various polymers.

We maintain a modern Assembly Line and state-of-the-art Testing Facility to ensure the exceptional quality of Mr. Breeze Air Coolers. Our commitment to quality is further demonstrated through our In-House Laboratory, comprehensive polymer testing, vigilant Tool Room team overseeing 350+ moulds, and a dedicated Quality team maintaining stringent testing systems. With a network of over 400 dealers across PAN India, we are dedicated to delivering excellence nationwide.



Pacific & Alaska



Symphony of Freshness...



Technical Specifications	Pacific	Alaska
Product dimensions (H*L*B) (inch)	60 x 29 x 23	60 x 29 x 23
Fan diameter (mm)	480	480
Tank Capacity (boot capacity - L)	120	120
Air volume (m3/hr)	8000	8000
Air throw distance (feet)	100	100
Auto Swing louver movement	Yes	Yes
Cooling media	Honeycomb	Honeycomb
Cooling pad thickness (mm)	60 mm	60 mm
Honeycomb pad size (Side) (mm)	775x260x60	775x260x60
Honeycomb pad size (back) (mm)	775x600x60	775x600x60
Easy removable cooling pads	Yes	Yes
Wattage (W)	400	400
Water/ice inlet door	Yes	Yes
Cool flow dispenser	Yes	Yes
Float valve-auto water refill	Yes	Yes
Drain Valve - auto water drain	Yes	Yes
Water level indicator	Yes	Yes
Lockable heavy duty wheels	Yes	Yes
Carton outer dimensions (H*L*B) (mm)	1470x785x565 mm	1470x785x565 mm



**TURBO
FAN
TECHNOLOGY**



**EXTRA
LARGE
WATER TANK**



**HEAVY DUTY
LOCKING
WHEELS**



**POWERFUL
AIR
THROW**



**3
SPEED
CONTROL**



**MULTI
DIMENSIONAL
AIR FLOW**



**AUTO WATER
FILLING
& DRAINING**



**HEXACOOL
TECHNOLOGY**



Crystal 80/100



Bringing the Arctic to Your Space...



Technical Specifications	Crystal 80	Crystal 100
Product dimensions (H*L*B) (inch)	47 x 24 x 18	51 x 24 x 18
Fan diameter (mm)	430	430
Tank Capacity (boot capacity - L)	80	100
Air volume (m3/hr)	4500	5000
Air throw distance (feet)	50	50
Auto Swing louver movement	Yes	Yes
Cooling media	Honeycomb	Honeycomb
Cooling pad thickness (mm)	45 mm	45 mm
Honeycomb pad size (Side) (mm)	672x215x45	672x215x45
Honeycomb pad size (back) (mm)	672x502x45	672x502x45
Easy removable cooling pads	Yes	Yes
Wattage (W)	190	190
Water/ice inlet door	Yes	Yes
Cool flow dispenser	Yes	Yes
Float valve-auto water refill	Yes	Yes
Drain Valve - auto water drain	Yes	Yes
Water level indicator	Yes	Yes
Carton outer dimensions (H*L*B) (mm)	1141x643x461	1241x643x461



**TURBO
FAN
TECHNOLOGY**



**EXTRA
LARGE
WATER TANK**



**HEAVY DUTY
LOCKING
WHEELS**



**POWERFUL
AIR
THROW**



**3
SPEED
CONTROL**



**MULTI
DIMENSIONAL
AIR FLOW**



**AUTO WATER
FILLING
& DRAINING**



**HEXACOOL
TECHNOLOGY**



ATLANTIS 120/150



Discover Serenity in Every Breeze ...



Technical Specifications	Atlantis 120	Atlantis 150
Product dimensions (H*L*B) (inch)	57 x 34 x 25	60 x 34 x 25
Fan diameter (mm)	490	490
Tank Capacity (boot capacity - L)	120	150
Air volume (m3/hr)	8500	8500
Air throw distance (feet)	100	100
Auto Swing louver movement	Yes	Yes
Cooling media	Honeycomb	Honeycomb
Cooling pad thickness (mm)	75 mm	75 mm
Honeycomb pad size (mm)	860x780x75	860x780x75
Easy removable cooling pads	Yes	Yes
Wattage (W)	400	400
Water/ice inlet door	Yes	Yes
Cool flow dispenser	Yes	Yes
Float valve-auto water refill	Yes	Yes
Drain Valve - auto water drain	Yes	Yes
Water level indicator	Yes	Yes
Lockable heavy duty wheels	Yes	Yes
Carton outer dimensions (H*L*B) (mm)	1350x870x610 mm	1420x870x610 mm



**TURBO
FAN
TECHNOLOGY**



**EXTRA
LARGE
WATER TANK**



**HEAVY DUTY
LOCKING
WHEELS**



**POWERFUL
AIR
THROW**



**3
SPEED
CONTROL**



**MULTI
DIMENSIONAL
AIR FLOW**



**AUTO WATER
FILLING
& DRAINING**



**HEXACOOL
TECHNOLOGY**



AEROCOOL 120/150



Mastering the Art of Cooling Brilliance...



Technical Specifications	Aerocool 120	Aerocool 150
Product dimensions (H*L*B) (inch)	57X34X25	60X34X25
Fan diameter (mm)	490	490
Tank Capacity (boot capacity - L)	120	150
Air volume (m3/hr)	8500	8500
Air throw distance (feet)	100	100
Cooling media	Honeycomb	Honeycomb
Cooling pad thickness (mm)	75 mm	75
Honeycomb pad size (mm)	860x780x75	860x780x75
Easy removable cooling pads	Yes	Yes
Wattage (W)	400	400
Water/ice inlet door	Yes	Yes
Cool flow dispenser	Yes	Yes
Float valve- auto water refill	Yes	Yes
Drain Valve - auto water drain	Yes	Yes
Water level indicator	Yes	Yes
Lockable heavy duty wheels	Yes	Yes
Carton outer dimensions (H*L*B) (mm)	1350x870x610 mm	1420x870x610 mm



**TURBO
FAN
TECHNOLOGY**



**EXTRA
LARGE
WATER TANK**



**HEAVY DUTY
LOCKING
WHEELS**



**POWERFUL
AIR
THROW**



**3
SPEED
CONTROL**



**MULTI
DIMENSIONAL
AIR FLOW**



**AUTO WATER
FILLING
& DRAINING**



**HEXACOOL
TECHNOLOGY**



HILANDER 120/150



Ascend to a Higher Level of Cooling ...



Technical Specifications	Hilander 120	Hilander 150
Product dimensions (H*L*B) (inch)	57X34X25	60X34X25
Fan diameter (mm)	490	490
Tank Capacity (boot capacity - L)	120	150
Air volume (m3/hr)	8500	8500
Air throw distance (feet)	100	100
Cooling media	Honeycomb	Honeycomb
Cooling pad thickness (mm)	75 mm	75
Honeycomb pad size (mm)	860x780x75	860x780x75
Easy removable cooling pads	Yes	Yes
Wattage (W)	400	400
Water/ice inlet door	Yes	Yes
Cool flow dispenser	Yes	Yes
Float valve-auto water refill	Yes	Yes
Drain Valve - auto water drain	Yes	Yes
Water level indicator	Yes	Yes
Lockable heavy duty wheels	Yes	Yes
Carton outer dimensions (H*L*B) (mm)	1350x870x610 mm	1420x870x610 mm



**TURBO
FAN
TECHNOLOGY**



**EXTRA
LARGE
WATER TANK**



**HEAVY DUTY
LOCKING
WHEELS**



**POWERFUL
AIR
THROW**



**3
SPEED
CONTROL**



**MULTI
DIMENSIONAL
AIR FLOW**




**AUTO WATER
FILLING
& DRAINING**



**HEXACOOL
TECHNOLOGY**



Maxicool & Robokool



Unleash the Wave of Refreshing Coolness...



Maxicool



Robokool

Technical Specifications	Maxicool	Robokool
Product dimensions (H*L*B) (inch)	52x26x21	52x26x21
Fan diameter (mm)	450	450
Tank Capacity (boot capacity - L)	100	100
Air volume (m3/hr)	5000	5000
Air throw distance (feet)	50	50
Auto Swing louver movement	Yes	
Cooling media	Honeycomb	Honeycomb
Cooling pad thickness (mm)	65 mm	65 mm
Honeycomb pad size (mm)	690x590x65	690x590x65
Easy removable cooling pads	Yes	Yes
Wattage (W)	190	190
Water/ice inlet door	Yes	Yes
Cool flow dispenser	Yes	Yes
Float valve-auto water refill	Yes	Yes
Drain Valve - auto water drain	Yes	Yes
Water level indicator	Yes	Yes
Carton outer dimensions (H*L*B) (mm)	1170x665x535 mm	1170x665x535 mm



**TURBO
FAN
TECHNOLOGY**



**EXTRA
LARGE
WATER TANK**



**HEAVY DUTY
LOCKING
WHEELS**



**POWERFUL
AIR
THROW**



**3
SPEED
CONTROL**



**MULTI
DIMENSIONAL
AIR FLOW**



**AUTO WATER
FILLING
& DRAINING**



**HEXACOOL
TECHNOLOGY**



ICECOOL



Cool, Crisp, and Captivating Cooling...



Technical Specifications

Icecool

Product dimensions (H*L*B) (inch)	48 x 25 x 19
Fan diameter (mm)	410
Tank Capacity (boot capacity - L)	80
Air volume (m3/hr)	4500
Air throw distance (feet)	50
Auto Swing louver movement	Yes
Cooling media	Honeycomb
Cooling pad thickness (mm)	40 mm
Honeycomb pad size (Side) (mm)	675x285x40
Honeycomb pad size (back) (mm)	600x495x40
Easy removable cooling pads	Yes
Wattage (W)	110
Water/ice inlet door	Yes
Cool flow dispenser	Yes
Float valve-auto water refill	Yes
Drain Valve - auto water drain	Yes
Carton outer dimensions (H*L*B) (mm)	1165x744x555



**TURBO
FAN
TECHNOLOGY**



**EXTRA
LARGE
WATER TANK**



**HEAVY DUTY
LOCKING
WHEELS**



**POWERFUL
AIR
THROW**



**3
SPEED
CONTROL**




**MULTI
DIMENSIONAL
AIR FLOW**



**AUTO WATER
FILLING
& DRAINING**



**HEXACOOL
TECHNOLOGY**



Defining Coolness with Icy Precision...



Technical Specifications

Technical Specifications	Iceberg
Product dimensions (H*L*B) (inch)	51 x 25 x 19
Fan diameter (mm)	450
Tank Capacity (boot capacity - L)	100
Air volume (m ³ /hr)	5000
Air throw distance (feet)	50
Auto Swing louver movement	Yes
Cooling media	Honeycomb
Cooling pad thickness (mm)	40 mm
Honeycomb pad size (Side) (mm)	675x285x40
Honeycomb pad size (back) (mm)	600x495x40
Easy removable cooling pads	Yes
Wattage (W)	190
Water/ice inlet door	Yes
Cool flow dispenser	Yes
Float valve-auto water refill	Yes
Drain Valve - auto water drain	Yes
Water level indicator	Yes
Carton outer dimensions (H*L*B) (mm)	1300x700x500 mm



**TURBO
FAN
TECHNOLOGY**



**EXTRA
LARGE
WATER TANK**



**HEAVY DUTY
LOCKING
WHEELS**



**POWERFUL
AIR
THROW**



**3
SPEED
CONTROL**



**MULTI
DIMENSIONAL
AIR FLOW**



**AUTO WATER
FILLING
& DRAINING**



**HEXACOOOL
TECHNOLOGY**



Amazon & Alexa



The Macho Breeze...



Amazon



Alexa

Technical Specifications

AMAZONE/ALEXA

Product Dimensions	680X425X1240 mm
Packing Dimensions	680x435x1140 mm
Cooling Area (Sq. Ft.)	400
Air Flow (cm/h)	5000
Fan Type	Axial
Fan/Blower Size	16"
Output (Watts) (H/M/L)	190
Power Resource (V/Hz)	220/50
Rated Current (amps)	1 amp
Fan Speed Variation	3 Speed
Inverter Compatibility	Yes
Temperature Drop (Degree)	8-10
Tank Capacity (ltrs)	60
Inline Water Supply (Float Valve)	Yes
Controller	Manual
Non Clog Water Dispenser	Yes
Auto Louver Movement	Yes
Water Level Indicator	Yes
Cooling Media	Celdek (Honeycomb)
Pad Size	605x235x50 (2 Nos.) 480x440x50 (1 No.)
Air Throw (ft)	50
Easy Mobility	Wheels
Weight Nett/Gross (kg)	21.00/25.00



**TURBO
FAN
TECHNOLOGY**



**EXTRA
LARGE
WATER TANK**



**HEAVY DUTY
LOCKING
WHEELS**



**POWERFUL
AIR
THROW**



**3
SPEED
CONTROL**



**MULTI
DIMENSIONAL
AIR FLOW**



**AUTO WATER
FILLING
& DRAINING**



**HEXACOOL
TECHNOLOGY**



THUNDER SERIES



Ideal Choice for Thunderous Cooling...



THUNDER-i

Honeycomb + Remote

THUNDER-HS

Honeycomb

THUNDER-A

Woodwool

Technical Specifications

	THUNDER-i	THUNDER-HS/A
Product Dimensions	680X500X1150 mm	680X500X1150 mm
Packing Dimensions	740x555x1175 mm	740x555x1175 mm
Cooling Area (Sq. Ft.)	600	600
Air Flow (cm/h)	4550	4550
Fan Type	Axial	Axial
Fan/Blower Size	18"	18"
Output (Watts) (H/M/L)	193/172/159	193/172/159
Power Resource (V/Hz)	230/50	230/50
Rated Current (amps)	.70/.61/.49	.70/.61/.49
Fan Speed Variation	3 Speed	3 Speed
Inverter Compatibility	Yes	Yes
Temperature Drop (Degree)	8-10	8-10
Tank Capacity (litrs)	75	75
Inline Water Supply (Float Valve)	Yes	Yes
Timer	8 Hours	-
Controller	Remote	Manual
Non Clog Water Dispenser	Yes	Yes
Auto Louver Movement	Yes	Yes
Empty Tank Alarm	Yes	-
Water Level Indicator	Yes	Yes
Cooling Media	Celdek (Honeycomb)	Celdek/Aspen
Pad Size	640x310x65 (2 Nos.) 640x530x65 (1 No.)	640x310x65 (2 Nos.) 640x530x65 (1 No.)
Air Throw (ft)	80	70
Easy Mobility	Wheels	Wheels
Weight Nett/Gross (kg)	17.2/22.2	17.00/22.00



**TURBO
FAN
TECHNOLOGY**



**EXTRA
LARGE
WATER TANK**



**HEAVY DUTY
LOCKING
WHEELS**



**POWERFUL
AIR
THROW**



**3
SPEED
CONTROL**



**MULTI
DIMENSIONAL
AIR FLOW**



**AUTO WATER
FILLING
& DRAINING**



**HEXACOOL
TECHNOLOGY**



CYCLONE



Larger Pads-Faster Cooling...



CYCLONE-A

Woodwool

CYCLONE-C

Honeycomb

Technical Specifications

CYCLONE

Product Dimensions	680X540X970 mm
Packing Dimensions	695x625x1005 mm
Cooling Area (Sq. Ft.)	450
Air Flow (cm/h)	3650
Fan Type	Axial
Fan/Blower Size	15"
Output (Watts) (H/M/L)	193/172/159
Power Resource (V/Hz)	230/50
Rated Current (amps)	.70/.61/.49
Fan Speed Variation	3 Speed
Inverter Compatibility	Yes
Temperature Drop (Degree)	8-10/6-8
Tank Capacity (ltrs)	50
Inline Water Supply (Float Valve)	Yes
Controller	Manual
Non Clog Water Dispenser	Yes
Auto Louver Movement	Yes
Water Level Indicator	Yes
Cooling Media	Celdek/Aspen
Pad Size	635x410x65 (2 Nos.) 635x495x65 (1 No.)
Air Throw (ft)	65
Easy Mobility	Wheels/Trolley (Optional)
Weight Nett/Gross (kg)	15.5/21.00



**TURBO
FAN
TECHNOLOGY**



**EXTRA
LARGE
WATER TANK**



**HEAVY DUTY
LOCKING
WHEELS**



**POWERFUL
AIR
THROW**



**3
SPEED
CONTROL**



**MULTI
DIMENSIONAL
AIR FLOW**



**AUTO WATER
FILLING
& DRAINING**



**HEXACOOL
TECHNOLOGY**



Cooler with trolley, Move it your way...



AURA-A

Woodwool

AURA-C

Honeycomb

Technical Specifications

AURA

Product Dimensions	640X540X550 mm
Packing Dimensions	695x625x645 mm
Cooling Area (Sq. Ft.)	300
Air Flow (cm/h)	4000
Fan Type	Centrifugal (Blower)
Fan/Blower Size	8"
Output (Watts) (H/M/L)	220/205/190
Power Resource (V/Hz)	230/50
Rated Current (amps)	.79/.65/.50
Fan Speed Variation	3 Speed
Inverter Compatibility	Yes
Temperature Drop (Degree)	8-10/6-8
Tank Capacity (ltrs)	50
Inline Water Supply (Float Valve)	Yes
Controller	Manual
Non Clog Water Dispenser	Yes
Auto Louver Movement	Yes
Water Level Indicator	Yes
Cooling Media	Celdek/Aspen
Pad Size	275x410x65 (2 Nos.) 275x495x65 (1 No.)
Air Throw (ft)	50
Easy Mobility	Trolley (Optional)
Weight Nett/Gross (kg)	12.4/16.00



**TURBO
FAN
TECHNOLOGY**



**EXTRA
LARGE
WATER TANK**



**HEAVY DUTY
LOCKING
WHEELS**



**POWERFUL
AIR
THROW**



**3
SPEED
CONTROL**



**MULTI
DIMENSIONAL
AIR FLOW**



**AUTO WATER
FILLING
& DRAINING**



**HEXACOOOL
TECHNOLOGY**



Your Closet Companion! The Counter Breeze...



Technical Specifications	RIVA
Product dimensions (H*L*B) (inch)	20 x 11 x 10
Fan diameter (mm)	Vertical Blower
Tank Capacity (boot capacity - L)	7
Air volume (m ³ /hr)	5000
louver movement	Manual
Cooling media	Honeycomb
Cooling pad thickness (mm)	40 mm
Honeycomb pad size (mm)	280x170x40
Easy removable cooling pads	Yes
Wattage (W)	90
Water/ice inlet door	Yes
Cool flow dispenser	Yes
Carton outer dimensions (H*L*B) (mm)	570x325x305



**TURBO
FAN
TECHNOLOGY**



**EXTRA
LARGE
WATER TANK**



**HEAVY DUTY
LOCKING
WHEELS**



**POWERFUL
AIR
THROW**



**3
SPEED
CONTROL**



**MULTI
DIMENSIONAL
AIR FLOW**



**AUTO WATER
FILLING
& DRAINING**



**HEXACOOOL
TECHNOLOGY**



Mr. Breeze
The cool air-cooler

Mr. Breeze Cooling Equipment Pvt. Ltd.

Office: Sri Sainath Enclave, Agyaram Devi Road, Opp. Khurana Travels,
Near S.T. Stand, Ganeshpeth, Nagpur-440018.

Email: sales@mr breeze.in | Web: www.mrbreeze.in

Customer Care: 0712-655050 | Email: customer care@mr breeze.in

